

## PROFORMA

DATE:

ROLL NO:

NAME:

AGE:

SEX:

IP NO:

DIAGNOSIS:

SURGICAL PROCEDURE :

Ht:

CVS:

HB:

Wt:

RS:

BT:

CT:

AIRWAY:MMS -

IID -

DENTITION -

Examination of spine:

ASA:

PRE OP ASSESSMENT:

HISTORY: Any Co-morbid illness

H/O Documented Difficult Airway

H/O previous surgeries/treatment

H/O Difficult spinal anaesthesia

H/O Drug allergy

MEASURES OF STUDY OUTCOME:

B/L Transverse abdominis plane block : Drugs

COMPLICATIONS IN POST OPERATIVE PERIOD:

### Hemodynamics: intra operative

Events	Time	Systolic BP (mmHg)	Diastolic BP (mmHg)	MAP	Heart rate Beats/min	SPO2
Baseline						
Immediately after spinal anaesthesia						
5 mins						
10 mins						
15 mins						
20 mins						
End of surgery						

POST OPERATIVE ANALGESIC INITIATION TIME:

TIME	0 Min	05 Min	10 min	15 Min	20 min	25 min	30 min	45 min	60 min	75 min	90 min	2 hrs	4 hrs	6 hrs	12 hrs	24 hrs	48 hrs
VAS																	
HR																	
SBP																	
DBP																	
MAP																	
Rescue analgesia																	

Adverse Effects

1. Post operative nausea and vomiting
2. Bradycardia
3. Hypotension
4. Respiratory depression
5. Allergic reaction
6. Any other .....